

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包 裝 作 業 規 范)

☒ CONFIDENTIAL☐ TOP SECRET

PAGE

1/5

REV.

E

PACKAGING CATEGORY

TRAY PLATE PACKING

(包裝方式)

SPEC.NO.(规范編號)

Q9111SPP-704

APPLICABLE CUSTOMER

ALL

(適用客戶)

APPLICABLE PRODUCT

9111-74C55121H2CB30A/9111-74C5511H2CB30A

(適用產品)

REVISION HISTORY (修 訂 履 歷)

ECN NO. REV.	PAGE (頁 次)								
	1	2	3	4					
B	New Version 新版發行								
C	APPLICABLE customers (修改适用客户)								
D	Correction Diagram (更正图示)								
E	Change the packaging quantity (更改包装数量)								

DIVISION

(事業單位)

Product Develop

(產品開發課)

APPROVED

(核 准)

CHECKED

(審 核)

PREPARED

(制 表)

CCH8/22/26

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)


SPEC.NO.(規範編號) Q9111SPP-704

CONFIDENTIAL TOP SECRET


PAGE 2/5 REV. E

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)




(Drawing 1-1)
(圖1-1)



Bar code label
條形碼標籤
(Drawing 10-1)
(圖10-1)

Batch label
批次標籤
(Drawing 2)
(圖2)

Season label
季節標籤



(Drawing 1-2)
(圖1-2)

Customer P/N: xxxxxxxx
Manufacturer P/N: 9111-74xxxxxxxxxx
QTY : xx PCS
Country of origin : CHINA
Lot No : xx-xx-xx
Manufacturer : Oupiin Electronics

Label content of the bar code
條形碼標籤內容
(Drawing 10-2)
(圖10-2)

一.PVC Plate Packing Mode: (PVC盤包裝方式)

1.xxPCS products are put in each PVC plate, seeing Fig. 1 in way that the products are put, add cover 1PCS on each plate, each cover should be booked with the chassis together with the sticky tape , so as not to cause the products to fall scattered.

每個PVC盤中放xxPCS產品，產品擺放方式見圖1,在每個盤子上面加蓋子1PCS，每個蓋子要與底盤用膠帶訂在一起，以免造成產品散落。

2.Batch label and season label are stuck separately on each cover, such as Fig. 2.

在每個蓋子的上面分別貼批次標籤與季節標籤,如圖2。

3.Stick the label of bar code label (the design of the bar code label according to Fig. 10-2) on each cover.Among them,products pin for HuaWei have already admitted Oupiin pin.

在每個蓋子的上面分別貼條形碼標籤(條形碼標籤的樣式如圖10-2),其中，產品料號為華為已承認的歐品料號。

The label size of the supplies can't exceed the label size of the exterior packing box.

物料标签尺寸不能超过外包装箱的标签尺寸。

歐品電子(昆山)有限公司

OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

☒ CONFIDENTIAL ☐ TOP SECRET

SPEC.NO.(規範編號) Q9111SPP-704

PAGE


3/5

REV.


E

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備 注)



(Drawing 4)
(圖4)



(Drawing 5)
(圖5)



(Drawing 6)
(圖6)

一.Outer Box Packing Mode:

(外箱包裝方式)

1. Fetching CT-0.9 1 carton, 10 plates filled with the products are put, direction must unanimous,direction must unanimous, put one foam board in the upper and lower of the paper box , seal the other case upper strata.

取CT-0.9紙箱1個，將裝滿產品的10個盤子放入，方向須一致，每箱上下各放一塊保麗龍，將外箱上層封口。

2. Need to paste supplies label 1PCS like Fig. 8 each carton terminal surface upper right corner, see Fig. 7 in label design of the supplies .Among them,Producer's type for HuaWei have already admitted Oupiin PIN. When yard is shown in the carton, the supplies label needs to expose; With criticize and paste the position and need unanimity with the code goods supplies label, when the carton terminal surface space is insufficient, can paste the upper right corner to the side of the carton .Need to stick 1PCS of certificate of quality on each carton terminal surface.

每個紙箱端面右上角需粘貼物料標籤1PCS如圖8，物料標籤樣式見圖7,其中，廠家型號為華為已承認的歐品料號。紙箱碼放時，物料標籤需外露；同批同編碼貨物物料標籤粘貼位置需一致，如紙箱端面空間不足時，可粘貼在紙箱側面右上角。在每個紙箱端面需要貼合格証1PCS。

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

☒ CONFIDENTIAL ☐ TOP SECRET

SPEC.NO.(規範編號) Q9111SPP-704

PAGE

4/5

REV.


E

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)


REMARK (備 注)

100	編碼(ITEM):	
70	描述(DESCRIPTION):	
	廠家型號:(MODEL):	
	數量(QTY):	
	代碼(CODE):	
	合約號(PO NO):	
	批次號(LOT NO):	
	日期(DATE):	
	原產地 (Country of Origin) :	
	備注(NOTES):	

Supplies label
物料標籤
(Drawing 7)
(圖7)



(Drawing 8)
(圖8)



(Drawing 9)
(圖9)

一.Outer Box Packing Mode: (外箱包裝方式)

3. Need to each paste the boot 1 label on two terminal surfaces of carton when the quantity of the supplies is less than all over case and pack the quantity into normally in the carton: First one is stuck below the supplies label, another one is its on the opposite side. The label design of the boot is seen and pursued (9). The bottom of the label is yellow PANTONE 109C, the frame and characters are black, the script is the boldface.

紙箱內物料數量少于滿箱正常裝入數量時，需在紙箱兩端面各粘貼尾箱標籤1個：其一個貼于物料標籤下方,另一個在其對面。尾箱標籤樣式見圖（9）。標籤底色為黃色PANTONE 109C，邊框及文字為黑色，字體為黑體。

The form on the right and flank side of the box must be filled correctly and clearly,take actual testing weight as the standard of each box gross weight,Error value should be in 3% Less than .

外箱之正麥和側麥所要填寫之項目要填寫正確，清晰，每箱之毛重應以實測重量為準，誤差值要在3%以內。

歐品電子(昆山)有限公司

OUPHIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

							☒ CONFIDENTIAL		☐ TOP SECRET		
SPEC. NO. (規範編號)	Q9111SPP-704						PAGE:	5/5	REV.	E	
PACKING MATERIAL (包 裝 材 料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重 量) kg		
MATERIAL NAME (材料名稱)	PART NUMBER (料 號)	Q' TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N. W. /PCS	N. W. /BOX	G. W. /BOX
PAPER BOXES (紙箱)	CT-0.9	1	9111-74C55121H2CB30A	CT-0.9	3.97	48	11	528	0.01056	5.58	9.54
			9111-74C5511H2CB30A								
Packing Box (包裝盒)	PVC-74-006	10									
Packing Box Cover (包裝盒蓋子)	PVC-74-007	10									
Foam (保麗龍)	-----	2									

1. NOTE:
(注意)
When the finished products have been made, take the actual weight as the standard of gross weight in each box. (成品出貨時, 每箱之毛重應以實測重量為準)
When the finished products have been made, stick the proper designation list on the box according to product demand. (成品出貨時, 依據出貨要求貼上相對應的標籤單)
CT-1.6 Produce goods taiwan , CT-1.9 Produce goods shanghai. (CT-1.6出貨台灣OF, CT-1.9出貨上海SH)
It doesn't influence the manner of packing with the gold-plated way to print word way, Can amalgamate. (印字方式跟鍍金方式不影響包裝方式, 可以共用)